

DAFTAR PUSTAKA

- Goldfrey J.A dan Searles R.A. 1981. *Chemie-Technik*. 10(12),1271
- Marcia C M., Luciane V L., Annelise K A, and Carlos P B. 2006. Biodiesel production using coal fly ash-derived sodalite as a heterogeneous. *Journal Fuel*. <http://dx.doi.org/10.1016/j.fuel.2016.11.016>
- Kannan V., Beatriz G., Raqual T., Miguel A.V., dan Antonio G. 2017. Pd supported on Cu-doped Ti-pillared montmorillonite as catalyst for the Ullmann coupling reaction. *Applied clay science*. 12 :pp037. <https://doi.org/10.1016/j.clay.2017.12.037>
- Carmen P J-G., Juan G., Juan A.C., Ramon M-T, and Pedro M-T.2017. Selective furfural hydrogenation to Furfural Alcohol Using Cu based Catalysts Supported on Clay Mineral. *Journal Cross Mark*. :Pp1-9. [DOI 10.1007/s11244-017-0804-2](https://doi.org/10.1007/s11244-017-0804-2)
- Tấn-Hiệp Đ, Bing-H C, dan Duu-J L. 2017. Optimization of biodiesel production from transesterification of triolein using zeolite LTA catalysts synthesized from kaolin clay. *Journal of the Taiwan Institute of Chemical Engineers*. 23(24):Pp1-9. <http://dx.doi.org/10.1016/j.jtice.2017.03.009>
- Nurhayati, Sofia A, Tengku A A dan Muhdarina. 2018. Catalyst Weight and Mole Ratio of Oil- Methanol on Crude Palm Oil (CPO) Esterification using H₂SO₄(3M)/Clay Catalyst. Department of Chemistry FMIPA University of Riau Kampus Bina Widya. DOI:10.1088/1742-6596/1093/1/012006
- Abdelrahman M.R., Eslam A, Mohammed, and Nabel A.N. 2018. Feasibility of modified bentonite as acidic heterogeneous catalyst in low temperature catalytic cracking process of biofuel production from nonedible vegetable oils. *Journal molecular Liquids* (254);pp260-266.

<https://doi.org/10.1016/j.molliq.2018.01.110>

Mamoon M., Mushtaq A., Muhammad S., Amir W., Muhammad R., Abdul S N., Muhammad Z., Mhummad A, and Shazia S. 2019. Sustainable production of bioenergy from novel non-edible seed oil (Prunus cerasoides) using bimetallic impregnated montmorillonite clay catalyst. 109 : pp321-332.

<https://doi.org/10.1016/j.rser.2019.04.029>

Kian F Y, Jeffrey C.S. Wub, and Keat Teong Lee. 2011. A green catalyst for biodiesel production from jatropha oil: Optimization study. Biomass and bioenergy. Department of Chemical Engineering. National Taiwan University. 35(2011) 1739-1746. DOI:10.1016/j.biombioe.2011.01.017

Zakaria M., Yasir A E., M.Azmi Bustam., Suzana Y, and M.I Abdul Mutalib. 2013. A Bronsted ammonium ionic liquid-KOH two-stage catalyst for biodiesel synthesis from crude palm oil. Industrial Crops and products : pp144-149.

<http://dx.doi.org/10.1016/j.indcrop.2012.04.032>

Cinthia S.C., Luiz C F G J, and Jose Mansur Assaf. 2014. The enhanced activity of Ca/MgAl mixed for transesterification. Fuel Processing Technology. 125;pp73-78. <http://dx.doi.org/10.1016/j.fuproc.2014.03.024>

Elsie B M, Khalil F, Yaghoub M, Rahim M, Mehrdad F, Ali Mohammad N. 2016. Development of novel Ag/bauxite nanocomposite as a heterogeneous catalyst for biodiesel production. Department of Analytical Chemistry, Faculty of Chemistry, Urmia University. 92; Pp12-21.

<http://dx.doi.org/10.1016/j.renene.2016.01.070>

Weems, J.B. 1987. Chemistry of clays. J.Soc.Chem.Ind. 16.pp395-425

Preeti N S and B K Singh. 2007. Instrumental Characterization of Clay by XRF, XRD, and FTIR. Bull. Indian Academy of Sciences. Mater. 30(3) ; pp235-238.

Anderson, 2015. Clay Minerals Soils to Engineering Technology to Cat Litter USC Mineralogy Geol 215a. <https://web.viu.ca/earle/geol312/USC-anderson-clays.pdf>

Krishna G B Bhattacharyya and Susmita G P . 2008. Adsorption of a Few Heavy Metals on Natural and Modified Kaolinite and Montmorillonite: A Review. *Advances in Colloid and Interface Science*. 140 ;pp114-131.
DOI:10.1016/j.cis.2007.12.008

Gardolinski and José Eduardo Ferreira da Costa, 2005. Interlayer Grafting and Delamination of Kaolinite. Disertasi. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Christian-Albrechts, Kiel, Germany. Doctoral Thesis.

Murray and Haydn H. 2006. Chapter 2 Structure and Composition of the Clay Minerals and their Physical and Chemical Properties. *Developments in Clay Science* : 2 pp7-31.

Barton, C D. And A.D. Karathanasis. 2002. Clay Minerals. *Encyclopedia of Soil Science*

Rajender S V. 2002. Clay and Clay-Supported Reagents in Organic Synthesis. *Tetrahedron*. 58; pp1235-1255. PII.S0040-4020.01216-9

Navjeet K and Dharma K. 2012. Montmorillonite: An Efficient, Heterogeneous and Green Catalyst for Organic Synthesis. *Journal of Chemical and Pharmaceutical Research* : 4(2); pp991-1015. ISSN : 0975-7384

Bonnie T Y P and Choo Y M. 2000. Valuable minor constituents of commercial red palm olein: carotenoids, vitamin E, ubiquinones and sterols May, *Journal of Oil Palm Research* : 12(1) ;pp14-24.

Kruger M J., Engelbrecht., Esterhuyse J., Du Toit EF., and Van Rooyen J. 2007. "Dietary red palm oil reduces ischaemia-reperfusion injury in rats fed a

hypercholesterolaemic diet". The British journal of nutrition. 97(4); 653–60.
doi:10.1017/S0007114507658991. PMID 17349077

Reeves., James B, Weihrauch, and John L. 1979. Consumer and Food Economics Institute. Composition of foods: fats and oils. Agriculture handbook 8-4. Washington, D.C.: U.S. Dept. of Agriculture, Science and Education Administration. Hal 4. OCLC 5301713

Poku and Kwasi. 2002. "Origin of oil palm". Small-Scale Palm Oil Processing in Africa. FAO Agricultural Services Bulletin 148. Food and Agriculture Organization. ISBN 92-5-104859-2.

Harold McGee. 2004. On Food And Cooking: The Science And Lore Of The Kitchen, Scribner : edition. ISBN 978-0-684-80001-1

Rojas and Mauricio. 2007. "Assessing the Engine Performance of Palm Oil Biodiesel". Biodiesel Magazine.

Amir Reza Sadrolhosseini. 2010. Optical Characterization of Palm Oil Biodiesel Blend (Laporan). Journal of Materials Science and Engineering. Diakses tanggal 25 February 2013.

Choong and Meng Yew .2012. "Waste not the palm oil biomass". *The Star Online*. Diakses tanggal 25 February 2013.

Mostafa R. A dan Mohamed A S. 2018. K^+ trapped kaolinite ($Kaol/K^+$) as low cost and eco-friendly basic heterogeneous catalyst in the transesterification of commercial waste. Journal Energy Conversion and Management. pp468-476.
<https://doi.org/10.1016/j.enconman.2018.09.083>

Mostafa R. A., Sherouk M. I., Sobhy M. Y., Mohamed E E, Ahmed A A. 2019. Synthesis of Na^+ trapped bentonite/zeolite-P composite as a novel catalyst for effective production of biodiesel from palm oil; Effect of ultrasonic irradiation

and mechanism cooking oil into biodiesel. Journal Energy Conversion and Management. pp739-750.

<https://doi.org/10.1016/j.enconman.2019.06.027>

Loh Soh Kheang. 2006. Recovery and conversion of palm olein-derived used frying oil to methyl esters for biodiesel (PDF) (Laporan). Journal of Palm Oil Research. Diakses tanggal 25 February 2013.

Catherine E. Housecroft and Alang Sharpe. 2005. Inorganic Chemistry Edition second. Pearson Education Limited. ISBN 0130-39913-2

Zhen Ma and Francisco Zaera. 2014. Heterogeneous Catalysis by Metals. DOI: 10.1002/9781119951438.eibc0079.pub2

Graham J. Hutchings and Jacques C. Vedrine. 2004. Basic Principles in Applied Catalysis. 75; pp215-257.

A.M. Maitra, N.W. Cant and D.L. Trimm, Appl. Catal. 1986. 27; pp9

Majid Naderi. 2015. Progres in filtration (separation surface area: Brunauer-Emmett-teller (BET). Chapter fourteen. London.

Hidayat dan Hosli. 2011. Modifikasi Permukaan Silika sebagai Material Pendukung Bagi Katalis Senyawa Kompleks Tembaga(II)asetonitril Sintesis dan Karakterisasi. Skripsi. Kimia FMIPA, Universitas Andalas

Frenzer G and W.F. Maier. 2006. Amorphorous Poros Mixed Oxides: Sol-Gel Ways to a Highly Versatile Class of Materials and Catalyst. Annual Review of Materials Research, 2006, 36, 281-331.

J.Theo Kloprogge., L.V Duong., and R Y Frost. 2005. Synthesis and Characterization of Pillared Clays and related Materials For Biodiesel Production. Environmental Geology, 47(7): pp967-981.

Syukri S, Christian E, Fischer, Akef Al Hmaideen, Yang Li, Ying Zheng, Fritz E, Ku. 2008. *Modified MCM-41-supported acetonitrile ligated copper(II) and its*

catalytic activity in cyclopropanation of olefins, Microporous and Mesoporous Materials. 113; pp171–177.

doi:10.1016/j.micromeso.2007.11.015.

Syukri S, A.K, Hijazi, Sakthivel, Al-Hmaideen, and F.E Kuhn. 2006. *Heterogenization of Solvent-Ligated Copper(II) Complexes on Poly(4-vinylpyridine) for the catalytic Cyclopropanation of Olefins*, Inorganica Chimica Acta. (360); pp197. doi:10.1016/j.ica.2006.07.104

Manut J and Satit P. 2007. Biodiesel Synthesis from Transesterification by Clay-based Catalyst. Chiang Mai J. Sci. 2007; 34(2) : pp201-207.
www.science.cmu.ac.th/journal-science/josci.html.

Felycia E S, Aning A, Suryadi I, and Anastasia L M. 2011. KOH/bentonite catalysts for transesterification of palm oil to biodiesel. Journal Applied Clay Science. 53;pp341–346. doi:10.1016/j.clay.2010.12.018

željka k, ivana l, miodrag z, and ljljana m d. 2016. oxide based catalysts for biodiesel production: a review. Journal Chem. Ind. Chem. Eng. Q. 22 (4) ;pp391–408. DOI 10.2298/CICEQ160203010K

Fabiane C B., Thérèse E C., Tatiana A R S., Eleonice M S., Ana P d C T., Rochel M. 2016. $K_2MgSiO_4:A$ novel K^+ trapped biodiesel heterogeneous catalyst produced from serpentinite $Mg_3Si_2O_5(OH)_4$. Journal of Molecular Catalysis A: Chemical (422);pp258–265.
<http://dx.doi.org/10.1016/j.molcata.2016.02.006>

Norhidayah A, Naimah I, Umi F M A, Sara Y Y, and Fahmi M R. 2016. Carbon-supported CuO Catalyst Prepared from Oil Palm Empty Fruit Bunch (EFB) for Low-Temperature No Removal. Procedia Engineering (148);pp 823–829.

Nurhayati, Sofia A, Tengku A A, and Muhdarina. 2017. Catalyst Weight and Mole Ratio of Oil- Methanol on Crude Palm Oil (CPO) Esterification using

H₂SO₄(3M)/Clay Catalyst. Department of Chemistry FMIPA University of Riau Kampus Bina Widya. 17 (2);pp309-315.

DOI: 10.22146/ijc.24909

Abdul R Y., Ahmad M S., and Muhammad A. 2017. Sudanese Clays for Heterogeneous Methanolysis of castor Oil. 5(2);pp.1-9.

DOI: 10.4172/2329-6887.1000240

Majid naderi. 2015. Progress in Filtration (Separation-Surface Area: Brunauer–Emmett–Teller (BET)). Chapter fourteen. London

Wahyu Sri K N, Ahmad S dan Priyono. 2014. Pengaruh Temperatur Kalsinasi pada Modifikasi Clay dengan Oksida Aluminium sebagai Pemilar. Journal of Scientific and Applied Chemistry. Physical Chemistry Laboratory, Chemistry Department, Faculty of Sciences and Mathematics, Diponegoro University. Semarang. 17(2);pp 43 – 47.

<http://ejournal.undip.ac.id/index.php/ksa>

Thomas, R. E. 2010. High Temperature Processing of Kaolinitic Materials, The University of Birmingham.

Tovina H. 2009. Skripsi. Sintesis nanozeolit Tipe Faujasite dengan teknik Seeding yang ditumbuhkan pada permukaan Glassy Carbon. Depok departemen Kimia, FMIPA.UI.

Antic, B., Kremenovic, A., Nikolic, A.S., Stoiljkovic. 2004. ICDD M., *J. Phys. Chem. B*, **108**, 12646.

Paul Djomgoue and Daniel Njopwouo. 2013. FT-IR Spectroscopy Applied for Surface Clays Characterization. Journal of Surface Engineered Materials and Advanced Technology, Laboratoire de Physico-Chimie des Matériaux Minéraux, Département de Chimie Inorganique, Université de Yaoundé I, Yaoundé I, Cameroun. 3;pp275-282.

<http://dx.doi.org/10.4236/jsemat.2013.34037>

A.K. Chakraborty. 2014. Phase Transformation of Kaolinite Clay. Springer India.
DOI: 10.1007/978-81-322-1154-9_7

F. Hussin, M. K. Aroua and W. M. A. W. Daud, "Textural Characteristics, Surface Chemistry and Activation of Bleaching Earth: A Review," Chemical Engineering Journal, Vol. 170, No. 1, 2011, pp. 90-106.
<http://dx.doi.org/10.1016/j.cej.2011.03.065>

A. Spence and B. P. Kelleher, "FT-IR Spectroscopic Analysis of Kaolinite-Microbial Interactions," Vibrational Spectroscopy, Vol. 61, 2012, pp. 151-155.
<http://dx.doi.org/10.1016/j.vibspec.2012.02.019>

Joelianingsih, Armansyah H T, Tatang S H, Yasuyuki S, and kamarudin A. 2008. Prediction Of Biodiesel Quality base on the feedstock Fatty Acids Compositions(Oil and Fats). JTEP Jurnal Keteknikan pertanian. 22(1).

Sukumar P., N. Saravanan ., G. Nagarajan., and N.Vedaraman. 2010. Effect of biodiesel unsaturated fatty acid on combustion characteristics of a DI compression nignition engine. biomass and bioenergy. 34;pp1079–1088.
doi:10.1016/j.biombioe.2010.02.017

